

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	ATTY. DOCKET NO. 2629-4016US1	SERIAL NO. TBA 09/826327
	APPLICANT(S) G. Botacini das Dore M.D. et al.	
	FILING DATE April 4, 2001	GROUP ART UNIT TBA 1641

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
u	5,240,606	8/31/93	Lapidus et al.	—	—	—

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

u ↓		Sawaya, et al., August 1999, "New Technologies in Cervical Cytology Screening: A Word Of Caution", Obstetrics & Gynecology, 94(2):307-310.
		Lee, et al., August 1997, "Comparison of Conventional Papanicolaou Smears and a Fluid-Based, Thin-Layer System for Cervical Cancer Screening", Obstetrics & Gynecology, 90(2):278-284.
		Oud, et al., 1986, "Automated deposition of cellular material on glass slides: Cytopress", Acta histochemica, Suppl.-Band XXXII, S. 209, pgs. 209-214.
		Evidence Report/Technology Assessment No. 5, 1999, "Evaluation of Cervical Cytology", AHCPR Publication No. 99-E010.
u		Bosanquet et al., April 24, 1999, "Assessment of automated primary screening on PAPNET of cervical smears in the PRISMATIC trial", The Lancet, 353:1381-1375.

EXAMINER C. Chin	DATE CONSIDERED 9/7/03
---------------------	---------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.